



STARKİM

www.starkim.com.tr

*Professional Laundry
Solutions*

IRONER FELTS 1

2 IRONER BELTS

FEEDING BELTS 3

4 PERFORATED FEEDING BELTS

COTTON BELTS 5

6 ELASTIC BELTS BELTS

SILICONED SURFACE BELTS 7

8 ANTI-STATIC BELTS

GREEN BELTS 9

10 MECHANICAL FASTENERS

WAXES 11

12 IRONER GUIDE TAPES

SPRINGS 13

14 MEMBRANE & TUNNEL EQUIPMENTS

PACKING SOLUTIONS 15

IRONER FELTS

1

Double Wrap Felts

MP 95 B-01-950gr
(300-330-360-380-440cm)

Polyester 150-170°C

MPN 90-01-900gr
(330-360-380cm)

Polyester-Nomex 160-180°C

MC 80 HP-05-800gr
(330-360-380cm)

M-Aramid 170-220°C

MNM 80-08-830gr
(300-330-360-380-440cm)

Nomex (Molton)



Single Wrap Felts

MPN 400-01-3900gr
(315-345-365cm)

Polyester 160-185°C

MP 420-01-4200gr
(315-345-365cm)

Polyester-Nomex 180-200°C

MPCN 420-01-4200gr
(315-345-365cm)

Poly.-MetaAramid 180-220°C

2

IRONER BELTS

Polyester / Nomex |1500 gr / m²

High temperature resistant Nomex technology

Both belt ends are fastening to each other with stainless steel clips

Can be used in all kinds of ironing with its strong structure

Width dimensions : 0,140 / 0,145 / 0,150 / 0,190 / 0,200 / 0,210 m.

Length dimensions : Can be cut to every desired length

Thickness dimensions : 5 mm.



FEEDING BELTS

3



Polyester 1000 gr / m²

long-lasting with its bright white and non-slip durable structure

Both belt ends are fastening to each other with stainless steel clips

Can be used in all kinds of ironing with its strong structure

Width dimensions : 0,100 / 0,145 / 0,150

Length dimensions : Can be cut to every desired length

Thickness dimensions : 3 mm.

4

PERFORATED FEEDING BELTS

Polyester / symmetrical sized hole

long-lasting with its bright white and non-slip durable structure

Both belt ends are fastening to each other with stainless steel clips

Can be used in all kinds of folding machine with its strong structure

Width dimensions : 0,048 / 0,112

Length dimensions : Can be cut to every desired length

Thickness dimensions : 3 mm.



COTTON BELTS

5



Raw cotton tubular belt

4 ply twisted cotton ring

Both belt ends are fastening to each other with stainless steel clips

Can be used in all kinds of folders machine

Width dimensions : 50 / 75 / 100 mm.

Length dimensions : Can be cut to every desired length

Thickness dimensions : 2 mm

6

ELASTIC BELTS

Cream color rubber belt, synthetic elastomer

Elongation rate is quite high


Both belt ends are fastening to each other with heated patch clips

Can be used in all kinds of folding machine with its strong structure

Width dimensions : 50 / 118 mm.

Length dimensions : Can be cut to every desired length

Thickness dimensions : 2 mm.



SILICONED SURFACE BELTS

7



Cream belt, polyester base + rough white silicone

4 ply twisted cotton ring

Both belt ends are fastening to each other with heated patch clips

Can be used in all kinds of folders machine

Width dimensions : 50 mm.

Length dimensions : Can be cut to every desired length

Thickness dimensions : 2 mm

8

ANTI-STATIC BELTS

Antistatic tubular belt

4 ply twisted cotton ring with steel wire

Both belt ends are fastening to each other with heated patch clips

Can be used in all kinds of folding machine with its strong structure

Width dimensions : 50 m.

Length dimensions : Can be cut to every desired length

Thickness dimensions : 2 mm.



GREEN BELTS

9



Supergrip belt in synthetic rubber, Polyester + honeycomb rubber

All of folders and stackers machines on request

Both belt ends are fastening to each other with stainless steel clips

Can be used in all kinds of folders and stacker machine

Width dimensions : 50 / 40 mm.

Length dimensions : Can be cut to every desired length

Thickness dimensions : 2 mm

25 G 300 (24 Pcs x 30cm = 7,20 m) / Box: For feeding and cotton belts
 40 LLS 33 (24 Pcs x 30 cm = 7,2 m) / Box : For Ironing belts
 25 SPG 048 W (100 Pcs.x 10 cm = 10,0 m) / Box : For elastic belts
 A34/A35/A36 Serisi (12 Pcs.x 30cm= 3,60m) / Box : For green belts
 Width dimensions : 0,140 / 0,145 / 0,150 / 0,190 / 0,200 m.
 Length dimensions : Can be cut to every desired length
 Thickness dimensions : -.



Clean wax (paraffin) / Max. 220°C
 Physical Forms: Flake, Bead and Powder / Bright White
 Types of packaging ready for sale : 15 Kg. bucket, 25 Kg. sack
 Can be used in all kinds of ironing machine
 Brookfield viscosity at 135°C.
 Using method: It is applied with a pocketed wax application cloth.
 This product informations include indicative acknowledgements

Ironing Strip / Polyester-Nomex



| | | |
|-------------|-----------|-------------|
| Frist | Quality | Second |
| 13 mm | Width | 13 mm |
| 195°C | Max Temp. | 180°C |
| 2.0 gr/m | Weight | 3.07 gr/m |
| 400 m. | Lenght | 400 m. |
| 30 mm | Thicknes | 43 mm |
| Single Line | Figure | Double Line |

Ironing Strip / Polyester



Spring Padding




SPRINGPRESS

The original springing system
Height : 6-16 mm

< Spiral shape
Flat shape >

Steel or galvanized
Used by over 85% of the world's ironer manufacturers

Laminated Spring Padding



Jensen, Passat, Kannegiesser, Lavatec mebrans

All of the spare parts of the tunnels machines

Deadline time : max. 10 working days

These orders are received in writing via email

Payment or order is made in cash and in euro currency

Confirmed order is non-cancellable and non-refundable

Our company is not responsible for external delay



Laundry Bags



Plastic Laundry Bag (MDPE)

(70x100)x500 Pcs. / Jumbo / Pack

(55x85)x500 Pcs. / Medium / Pack

Dry Cleaning Bags (LDPE)

(60x90)x500 Pcs. / Perforated / Roll

(70x120)x500 Pcs. / Perforated / Roll

60 cm x 500 m. / Endless / Roll

Dry Cleaning Bags





Starkim?..

Our company 'Starkim Industrial Cleaning' which was established with the gathering of experts in the industrial laundry sector in Europe and Turkey; Also a distributor of all kinds of ironing machine equipment used in the laundry industry since 2014, in Istanbul. Our company, which expands its customer and product portfolio day by day, is constantly developing in the industrial laundry spare part supplier sector.



Which Products?..

The main products in its portfolio are; There are ironing felt clothes, ironing belts, feeding belts, all kind belts for folding machines, stainless fastener types, waxes, spare parts used in ironing machine and packaging solutions . Our products, all of which are of European origin, are supplied as quickly as possible and offered to our valued customers at the most affordable price range.



Our European partners?..

Germany / Technische Textilien Lörrach (TTL), which we have been doing business with for many years, is among the most experienced and oldest companies in Europe in its own sector, especially in felts and belts production. In about braided folding belts, Italian / Vitesse Srl is a serious and reliable business partner that constantly improves itself. In addition, the product quality of well known companies such as Alpha-Chem, Tintolav and Hilmo are among the generally accepted brands bu our customer.



Mission - Vision

The primary goal of our company, which aims to deliver the highest quality original brands of Europe at the most affordable price range and as quickly as possible to our valued customers, is to establish after-sales customer satisfaction. In this context, we would like to express our endless thanks to the valuable managers who take care of product and service quality of all institutions and organizations in our portfolio

Regards



Contact us

Starkim Industrial Cleaning Chemicals & Equipments

İOSB Hes-Kop San. Sit. M3/42 Başakşehir / İstanbul / Türkiye

www.starkim.com.tr | fatih@starkim.com.tr

+90 (212) 485 86 20 | +90 (534) 348 70 56